

www.egger.com/floorline

FORMATS





CLASSIC





1.292 × 326 mm

CLASS OF USE



The right choice when the flooring needs to be cost effective, but real quality is still essential.



Versatile floors where higher demands have to be met, and we need to feel particularly at ease.



The right solution to make a good impression and where the floor is subjected to a lot of use.

Guarantee valid in accordance with EGGER Guarantee Conditions.

PROFILE



The new JUST clic! profile guarantees perfect professional laying: no glue, "ready to walk on" immediately and excellent surface stability. Patented under EP 1 441 087 and EP 1 462 587.

FLOORING-STUDIO



In just a few clicks in the FLOORING-STUDIO, you can experience the floor of your dreams in different settings and with the wall colour of your choice. This can all be changed again quickly and easily with a couple of mouse clicks.

ANTISTATIC



Due to antistatic properties, electrostatic charges are reduced.

SURFACES





2-SIDED WOODVISION[®] BEVEL

4-SIDED WOODVISION[®] BEVEL

floor appearance from all angles.

The longitudinal beveled edge accentuates

the rustic floorboard character of the flooring.

The circumferential V-bevel creates a perfect wood

Noticably quieter - The sound-absorbing underlay fitted directly onto the panel makes an audible difference: A pleasant warm sound, just like a wooden floor!



Even more quiet - with the 2.5 mm thick special cellulose underlay, silenzio[®] provides noticeably reduced footstep and ambient noise and also distinctly improves comfort underfoot.



It can't get any better. Nothing is left to chance with the 4 mm silenzio®. Footstep and ambient noise has never been so quiet.

FLOORLINE® – THE LAMINATE FLOORING THAT LEADS THE WAY.

With a multitude of decors, perfectly matching details and technical refinements, FLOORLINE[®] embodies the suitable life style for every room and for all requirements: whether fully in trend or classically elegant, whether for domestic or commercial use, whether for normal or heavy-duty use – FLOORLINE[®] combines highest quality with an elegant design.

ADVANTAGES



HYGIENE One of the most hygienic solutions - No dirt or stains which cannot be removed, therefore reducing bacteria on the floor.



LIGHT-FASTNESS

UV light-fast – Even after years of exposure to light, your floor will remain as new: no fading, no stains, no shading.



SHOCK RESISTANCE

Guaranteed no damage – Even if something falls on it – we vouch for a timeless beautiful floor with our shock resistance guarantee.

SWELLING

Robust to moisture – The specially developed swell-barrier coreboard makes your floor resistant to ingress of moisture. Even if a mishap does occur your floor will remain as new.

LONGEVITY

Guaranteed long-lasting beautiful floors – The extremely hard surface of the floor provides for long-lasting beautiful decor surfaces and edges. We ensure this with our abrasion guarantee. That even includes the edges.

SILENZIO®




Strength lies in tranquillity: silenzio® is the name of the comfort choice for footstep and ambient noise reduction. The underlay made of recyclable cellulose directly fixed to the panel reduces the subjective noise perception by up to 50% as compared to laminate flooring without silenzio®. Matching to every type of use, silenzio® offers finishes for normal, medium and hardest wear conditions.



SOLUTION 31 – real all-rounder in proven quality
UNIVERSAL 32 – the classic for all domestic areas
COUNTRY 32 – for the comfort factor in rustic style
MODERN 32 – a different appearance and fully in trend
EXOTIC 32 – tropical look for extra accentuation
STRONG 32 – extra strong, robust and full of character
COMPACT 32 – classy decors with slender appearance
NOBLE 32 – exclusive design in strip parquet format
BUSINESS 33 – the matching solution for high demands









15 EN 13329-31 NOBLE

COMPACT







UNIVERSAL

COUNTRY











Beautiful, classic floorings, ideal for all areas of daily life.



UNIVERSAL

COUNTRY


MODERN

EXOTIC

STRONG

COMPACT

NOBLE






2 1.292 × 192 × 8 mm





BUSINESS



Simply natural: the authentic rustic floorboard



+

SOLUTION

UNIVERSAL

COUNTRY

MODERN

EXOTIC


STRONG

COMPACT

MODERN HAVING THE COURAGE TO MARCH TO A DIFFERENT TUNE IN KEEPING WITH THE PULSE OF THE TIMES

20 EN 13329-32 1.292 × 326 × 8 mm

NOBLE









UNIVERSAL

COUNTRY

MODERN

EX0TIC

STRONG


COMPACT


NOBLE











NOBLE

BUSINESS






SOLUTION

BUSINESS




















SOLUTION

BUSINESS







UNIVERSAL


COUNTRY

MODERN

EXOTIC


STRONG

COMPACT










SOLUTION

BUSINESS

COUNTRY M 🔜 📲 H2685 White Elm M 🔜 🔽 в 🔜 🖬 H2488 H2478 Walnut one plank Merbau one plank EXOTIC w 🔜 🔽 w 🔜 🔽 H2299 H2686 Italian Walnut **Rio Palisander** STRONG H2512 Smoked Oak one plank

Strip parquet styles in premium wood impressions. The all-round WOODVISION[®] bevel creates extraordinary expansive experiences.







25	EN 13329-33)		1.292 × 192 × 10,5 mm	
----	-------------	----------	--	-----------------------	--


SOLUTION

MODERN

COUNTRY



SOLUTION



ACCESSORIES







Sound-proofing underlay 3 mm



CLIC SEALER - seals tight



STRIP-EX sealing glue

FOR THE CORRECT SUB-FLOOR

Optimum laying accessories on the laying surface. The 3 mm thick PE impact sound insulation in conjunction with laminate floorings ensures a reduction in impact sound.

FOR PERFECT LAYING

Laying quickly, simply and cleanly with the correct components: floor laying kit, CLIC SEALER joint sealer, the STRIP-EX sealing glue and much more.

FOR CLEAN ENDING

The full range for the perfect finishings: 4 cm, 6 cm and 8 cm skirting, beading profiles and attachment systems.



Skirtings 4 and 6 cm



Skirting 8 cm









Integrated LED floor light



Repair set Decor Mix & Fill



Laminate cleaner Clean it

FOR SEAMLESS TRANSITIONS

Perfectly coordinated with the decors; border, motion, stair and transition profiles in HDF and aluminium make for a smooth finish.

FOR REAL HIGHLIGHTS

The unique LED light system from EGGER can be incorporated in your floor. The round LED lamps are available in sets of five including required accessories.

FOR LASTING BEAUTY

Even easy-to-maintain floors need to be well looked after, with the Decor Mix & Fill repair set for example, or the Clean it laminate cleaner.

MAINTENANCE

SIMPLY CLEAN!

A lot of dirt can be dealt with by having large doormats! For the rest, use the brush attachment on your vacuum cleaner. Now and then you should also wipe the floor with a damp cloth, taking care to clean the bevels in the longitudinal direction. For optimum cleaning we recommend Clean it, the system-related EGGER laminate floor cleaner.

STUBBORN STAINS?

For stubborn stains such as coffee, tea, lemonade, beer, fruit or milk stains, lukewarm water with a squirt of alcohol or vinegar cleaner will be sufficient. Paint, lipstick, ink, tar, nail polish and so on can be removed easily using a conventional absorbent cloth and a universal cleaner. Depending on the stains, cleaning solvent (benzene) or nail varnish remover can also be used. Important: neutralise surface with water afterwards.

OPTIMUM PROTECTION FOR LAMINATE FLOORS!

- Attach felt pads to the feet of all furniture
- Lift furniture when moving it rather than pushing or dragging
- Use soft furniture castors
- Mop up any spillages immediately
- Do not use steam cleaners

DAMAGED NEVERTHELESS?

No matter how hard-wearing your floor is, a panel may still get damaged. If the damage is slight, the problem can be easily solved with the system related repair paste Decor Mix & Fill light and dark. More severely damaged panels can be easily replaced by a professional fitter. Please contact your local stockist.



PRODUCT SPECIFICATION

(7 + 1 mm)

	* SOLUTION 31				
Format	1.292 × 19	92 mm			
Total thickness	7 m m	8mm (7+1			
silenzio®	-	1 mm			
Area per pack	2,48 m²	1,98 m²			
Boards per pack	10 pcs.	8 pcs.			
Guarantee	15				
Class of use		<u>,</u>			

EN 13329-31

Ideal for heavy domestic

use and moderate

commercial use.





*** UNIVERSAL 32**

1.292 × 192 mm

8mm

1,98 m²

_

Ideal for heavy domestic use and medium commercial use.

***** COUNTRY 32

1.292 × 192 mm 8 mm _ 1,98 m² 8 pcs. 20



Ideal for heavy domestic use and medium commercial use.

***** *MODERN 32*

1.292 × 326 mm

8 mm

2,53 m²

6 pcs.

20

_

*** EXOTIC 32** 1.292 × 192 mm

9mm (8+1mm)

1 mm

1,74 m²

7 pcs.

20

*** STRONG 32**

1.292 × 192 mm $12\,mm~(8+4\,mm)$ 4 mm 1,49 m²



6 pcs.

Ideal for heavy domestic use and medium commercial use.



Class of use



Ideal for heavy domestic use and medium commercial use.




Ideal for heavy domestic use and medium commercial use.





H2580 Siena Walnut

COUNTRY 32 1.292×192×8mm








F981 Pimp your Floor green














F808 Campino light

* EXOTIC 32 1.292×192×9mm		* STRONG 32 1.292×192×12 mm	
		and the second sec	
H2553 Coconut	a 2	H2530 Cottage Oak white	n 3
H2551 Panga-Panga	n 🜌	H2708 Oak imperial	1
		and the second and the	
H2684 Java Teak	T 2	H2265 Canadian Pine	۵ 🖌
H2550 Curupay	n 🗹	H2712 Bourbon Oak natural	5
H2682 Doussie planked	a 🗹	H2616 Castle Oak planked	n 4
H2552 Jatoba	P 🛃	H2694 Noble Mahogany	a 🛃
H2678 Walnut La Paz	7	H2620 Catánia Oak planked	7

a 🖌

H2571 Kiboto Wenge

a



H2570 Merbau

All decors shown are reproductions. Due to the variables in the printing process, colours may vary slightly from the actual product.

*	сомраст	32
---	---------	----

10,5 mm (8+2,5 mm)

1.292×134mm

2,5 mm

1,04 m²

6 pcs.

*** NOBLE 32** 855 × 90 mm

9 mm (8+1 mm)

1 mm 1,08 m²

14 pcs.

* BUSINESS 33

10,5 mm (8+2,5 mm)

1.292 × 192 mm *

2,5 mm

Format Total thickness silenzio® Area per pack Boards per pack

Guarantee 20





Ideal for heavy domestic use and medium commercial use.

20	
EN 13329-32	

Ideal for heavy domestic use and medium commercial use.


1,49 m² 6pcs. 25



Ideal for heavy domestic and heavy commercial use.

* CML – Continuous Multi Layer Laminate

PRODUCT STRUCTURE



Resilient, highly abrasion-resistant overlay

Decor paper Special HDF-coreboard made from natural 2 3

wood fibres 4

5

Balancer silenzio® underlay (only with identified decors)

We only use HDF-core boards of the quality standard E1.

All papers are resin-impregnated.





POSITIVE ECOLOGICAL BALANCE FOR EGGER LAMINATE FLOORINGS

SUSTAINABILITY IS OUR RESPONSIBILITY

As a manufacturer of quality products made of wood we are aware of our responsibility towards our customers and partners - not only in respect of the quality of the products, but also in questions of sustainability. For this reason we feel it is our responsibility to handle our most important raw material, wood carefully and to use it in the best way possible.



WOOD, OUR MOST IMPORTANT RAW MATERIAL

The long-term securing of sustainable forestry is of the highest priority at EGGER.


For production we therefore exclusively use wood from sustainable forestries. This was endorsed for us by PEFC*, one of the leading certification systems in Europe.



* Programs for Endorsement of Forest Certification schemes

FROM THE TREE TO THE PRODUCT - A CLOSED CYCLE

Using the valuable raw material wood in the best way possible is a fundamental concern of EGGER. The corporation therefore counts on fully integrated company locations. There, wood is initially used in a material form. This extends from solid wood production in the sawmill up to the production of wood materials such as laminate floorings. Residual wood and recycling wood that cannot be used for production is used thermally in our own biomass power plants. The CO_2 created in all production stages is in turn absorbed by the regrowing trees and transformed to oxygen. A fully closed biological material cycle is created. In this way EGGER makes "MORE FROM WOOD".



EGGER LAMINATE FLOORINGS COMBINE QUALITY AND ENVIRONMENTAL FRIENDLINESS



The scrutiny by our employees (here Walter Ising) secure our quality.

With their state-of-the-art environmentally friendly production plants, EGGER meets the very high customer quality requirements. The plant locations Wismar and Brilon (both in Germany), where amongst other things laminate floorings are manufactured, are constructed according to the highest ecological standards. They are fully integrated plant locations, where the highest quality is ensured. We have all our products voluntarily and permanently tested for environmental compatibility: the positive ecological balance for our laminate floorings has been determined by PE International and confirmed by the independent DIBU Institute (German Institute for construction and environment).





LAYING MADE EASY!

With the help of the room dimensions considering an average cutting waste of 10%, it is easy to calculate the number of required packs for the selected laminate flooring.

For an optimum laying experience, EGGER offers an extensive accessories program from underlay to care products.

ROOM AREA

Room length: m Room width: m

	Total surface area in m ² (length x width):	m²
+	+ Cutting waste (on average 10% of the total surface area):	m²
=	= Required surface of laminate flooring:	m²

REQUIRED NUMBER OF PACKAGES

	Required surface area of laminate flooring			Package surface area		Number of packages
* SOLUTION 31		m²	:	2,48 m ² 1,98 m ^{2 *}	=	
* UNIVERSAL 32		m²	:	1,98 m²	=	
* COUNTRY 32		m²	:	1,98 m²	=	
* MODERN 32		m²	:	2,53 m²	=	
* EXOTIC 32		m²	:	1,74 m²	=	
* STRONG 32		m²	:	1,49 m²	=	
* COMPACT 32		m²	:	1,04 m²	=	
* NOBLE 32		m²	:	1,08 m²	=	
* BUSINESS 33		m²	:	1,49 m²	=	
				*with 1 mm silenzio®		

You will find more information under www.egger.com/floorline!



ACCESSORIES

For the correct sub-floor

- PE underlay film 0,2 mm
- Sound-proofing underlay 3 mm

For perfect laying

- Floor laying kit
- STRIP-EX sealing glue
- ACRYL-FILL joint sealant
- CLIC SEALER seals tight

For perfect finishing

- Skirting 4 cm
- Skirting 6 cm
- Skirting 8 cm
- Corner elements (outer and inner corners, end pieces)
- Clip-on attachment
- Attachment rail
- Beading profile
- Heater rosettes

For clean transitions

- ALU border profile
- ALU motion profile
- ALU transition profile
- ALU stair profile
- HDF border profile
- HDF motion profile
 HDF transition profile

For real highlights

• Set of LED round elements

For optimum maintenance

- Repair set Decor Mix & Fill
- Laminate cleaner Clean it



EGGER Retail Products GmbH & Co. KG Im Kissen 19 59929 Brilon Germany T +49 2961 770 - 0 F +49 2961 770 - 62919 info-bri@egger.com

www.egger.com/floorline

GmbH & Co. KG Am Haffeld 1 23970 Wismar Germany T +49 3841 301-0 F +49 3841 301-20222 info-wis@egger.com

EGGER Retail Products

EGGER Retail Products

GmbH Weiberndorf 20 6380 St. Johann in Tirol Austria T +43 50 600 - 0 F +43 50 600 - 10443 info-sjo@egger.com

Service, advice and more: